SD2530CS



Find us locally at www.dynapac.com

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines.The above information is a general description only, all informations are supplied without liability.



Technical Data

Material Hopper

Capacity	7.0 m³ (17 t)
Dumping height (center/outside)	525 mm /530 mm

Conveyor

Conveyor type	Dual bar feeder
Conveyor control	Automatic with limit switches
Conveyor width	2x 655 mm

Engine

Manufacturer /Model	Cummins QSB 6.7-C190
Emissions according to	EU Stage IIIA
Rated power, SAE J1995	142 kW (193 Hp) @ 2200 rpm
Electrical system	24 V
Fuel tank capacity	337 l

Engine

Manufacturer /Model	Cummins B6.7CSIV201F
Emissions according to	China IV
Rated power, SAE J1995	149 kW @ 2200 rpm
Electrical system	24 V
DEF tank capacity	37 l
Fuel tank capacity	362 l

Engine

Manufacturer /Model	DCEC Cummins B6.7CSIV 240C
Emissions according to	China IV
Rated power, SAE J1996	177 kW @ 2200 rpm
Electrical system	24 V
DEF tank capacity	35 l
Fuel tank capacity	362 l

Auger

Auger diameter	380 mm
Auger control	Automatic with ultrasonic sensors

Dimensions

Basic width	2.55 m
Working width, max.	10 m
Working width, minimum (with reducing shoe)	2.05 m
Front ramp angle	13°

Masses

Weight	22.5 t

Capacity


Placement thickness (max)	360 mm
Theoretical placement capacity	800 t/h


Find us locally at www.dynapac.com

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines.The above information is a general description only, all informations are supplied without liability.

SD2530CS

Dimensions





A. Axle track	3.36 m
B1. Width, max.	3460 mm
B2. Width, standard	2.55 m
B3. Width, center of tracks	1.99 m
C1. Track width	0.32 m
H1. Height, max.	3.90 m
H2. Height, transport	3.10 m
H3. Height	0.46 m
L1. Length	6.63 m
L3. Length, hopper	2.60 m

Find us locally at www.dynapac.com

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines.The above information is a general description only, all informations are supplied without liability.


Screeds




V5100 TV / TV E



V6000 TV / TV E



R300 TV / TV E



Legend



Find us locally at www.dynapac.com

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines.The above information is a general description only, all informations are supplied without liability.